

Vaccination Schedule in Geese

Geese vaccination

Age of Goose	Disease	Vaccine	Route Administration	Remarks
1 day (optional)	Marek's Disease (<i>rare in geese</i>)	Marek's vaccine (if available)	Subcutaneous (neck)	Optional; more relevant if reared near chickens.
7-10 days	Newcastle Disease	ND Lasota	Eye drop / Oral	Especially important if raised near poultry farms.
2-3 weeks	Duck Viral Hepatitis (DVH)	DVH vaccine	Subcutaneous Intramuscular	/For goslings in areas with known cases.
4-6 weeks	Fowl Cholera (Pasteurellosis)	Inactivated Cholera vaccine	Intramuscular	Repeat in 4 weeks if outbreak risk is high.
8 weeks	Newcastle Disease (booster)	ND Komarov/Inactivated ND vaccine	Intramuscular	Booster dose for lasting protection.
10-12 weeks	Avian Influenza (<i>if endemic</i>)	AI inactivated vaccine	Subcutaneous Intramuscular	/Based on local outbreak history and regulations.
Every 6 months	Newcastle Disease (maintenance)	ND vaccine	Oral or Intramuscular	Maintain immunity in breeding flocks.

Unique solution ID: #1153

Author: NFHLCC

Last update: 2025-05-19 11:19